


PCC ALLEY SECTION

(SEE DETAIL A10-B FOR PCC ALLEY JOINTING DETAILS)



AC ALLEY SECTION

NOTES:

1. SUBGRADE SHALL BE PREPARED IN CONFORMANCE WITH SECTION 302 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
2. AGGREGATE BASE SHALL BE TYPE 2, CLASS B AND BE COMPACTED IN CONFORMANCE WITH SECTION 308.05 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
3. PORTLAND CEMENT CONCRETE SHALL CONFORM TO THE REQUIREMENTS OF SECTION 337.10.01.01 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION FOR CONCRETE EXPOSED TO FREEZE-THAW ENVIRONMENTS.
4. STRUCTURAL SECTIONS TO BE DETERMINED BY ENGINEERING DESIGN, BUT IN NO CASE LESS THAN THE MINIMUM THICKNESSES SHOWN.

NO.	REVISION	DATE	STANDARD DETAIL FOR PUBLIC WORKS CONSTRUCTION	SECTION: DOUGLAS COUNTY
			TYPICAL ALLEY SECTIONS (PCC & AC)	DATE: JULY 2017
				DWG: A10-A